

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

---

Application No.:	10/087,225	§	Confirmation	6931
Patent No.:	7,320,035	§	No:	
Filed:	March 1, 2002	§	Group/Art Unit:	2616
Issued:	January 15, 2008	§	Atty. Dkt. No:	5681-12000
Inventor(s):		§		
	Ajay Kumar	§		
	Hanumantha Rao Susarla	§		
	Prakash Khemani	§		
Title:	Object Mutation	§		
	Determination for	§		
	Incremental State Saves	§		
		§		

---

**REQUEST FOR CERTIFICATE OF CORRECTION TRANSMITTAL**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Transmitted herewith for filing in the captioned case is the Form PTO-1050 is submitted. Errors which occur at important points in the captioned patent or which may otherwise affect the understanding or interpretation of the patent are thereon corrected.

All of the errors shown in PTO-1050 are due to Patent Office oversights. A Certificate of Correction is requested under 35 U.S.C. § 254. Applicants believe that no fees are required, however, should any fees be required, please deduct them from Meyertons, Hood, Kivlin, Kowert & Goetzel, P.C. Deposit Account No. 501505\5957-15300/RCK.

Respectfully submitted,

/Robert C. Kowert/  
Robert C. Kowert, Reg. #39255

Meyertons, Hood, Kivlin, Kowert & Goetzel, P.C.  
P.O. Box 398  
Austin, TX 78767-0398  
(512) 853-8800

Date: March 6, 2008

Page 1 of 1  
UNITED STATES PATENT AND TRADEMARK OFFICE

**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,320,035

DATED: January 15, 2008

INVENTOR(S): Ajay Kumar, Hanumantha Rao Susarla and Prakash Khemani

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**In the Claims:**

Claim 19, column 17, line 36, please delete "sewer" and insert --server-- in place thereof.

-----  
MAILING ADDRESS OF SENDER:  
Robert C. Kowert  
MEYERTONS, HOOD, KIVLIN, KOWERT & GOETZEL, P.C.  
P.O. Box 398  
Austin, Texas 78767-0398

PATENT NO. 7,320,035  
No. of additional copies 1

**Certificate of Correction (PTO Form 1050)**